What is claimed is:

- 1. A system for remotely determining the contents of a mail receptacle comprising:
- a machine-readable label programmed with at least one

  5 property of a piece of mail, said machine-readable label being incorporated into the piece of mail;
  - a machine-readable label reader for reading the machine-readable label;
  - a processor for receiving the at least one property of the piece of mail from the machine-readable label reader;
  - a memory for storing the at least one property of the piece of mail; and
  - a means for remotely accessing the memory to determine the contents of the mail receptacle.
  - 2. The system of Claim 1, wherein said machine-readable label includes a radio transponder or transmitter.
- 3. The system of Claim 1, wherein the means for remotely
  20 accessing further comprises a telephony means, an internet means,
  a wireless means, or an email means.
  - 4. The system of Claim 1, wherein the processor is programmable.
- 5. The system of Claim 4, wherein the processor is programmable to initiate the means for remotely accessing the memory to contact a user.

20

25

5

- 6. The system of Claim 5, wherein the processor initiates the means for remotely accessing the memory when the processor detects a piece of mail containing at least one property programmed by the user.
- 7. A method for notification of the contents of a mail receptacle comprising:

incorporating a machine-readable label into a piece of mail, said machine-readable label containing information about at least one property of the piece of mail;

receiving the information from the machine-readable label; storing the information from the machine-readable label; and communicating the information from the machine-readable label to a user.

- 8. The method of Claim 7, further comprising the steps of programming a processor to initiate the communicating step when at least one property of a piece of mail is detected, and detecting the at least one property of a piece of mail.
- 9. The method of Claim 8, wherein the communicating step further comprises notifying the user that a piece of mail is within the mail receptacle when the at least one property of a piece of mail is detected in the detecting step.

20

5

10, A method for remotely determining the contents of a mail receptacle comprising:

incorporating a machine-readable label to a piece of mail, said machine-readable label containing information about at least one property of the piece of mail;

receiving the information from the machine-readable label; storing the information from the machine-readable label; and remotely accessing the information to determine the contents of the mail receptacle.

- 11. The method of Claim 10, wherein the remotely accessing step further comprises remotely accessing the stored information by telephony means, an internet means, a wireless means, or an email means.
- 12. A method of doing business comprising:

incorporating a machine-readable label to a piece of mail, said machine-readable label containing information about at least one property of the piece of mail;

receiving the information from the machine-readable label;
storing the information from the machine-readable label;
remotely accessing the information to determine the contents
of the mail receptacle; and

affecting the sale of goods or services based on the information.